




Grade 6 Math Circles

Combinatorial Games - **Solutions**



NOVEMBER 3/4, 2015

Chomp

Chomp is a simple 2-player game. There is a grid, and in the bottom-left corner of the grid is a poison square. Players alternate turns, and on each turn, the player selects a square and 'eats' that square and all of the squares above and to the right of it (see example below). The player who is forced to eat the poison square loses.






Try playing a few games of Chomp with the people around you using the game boards below. Change who goes first in each game. Is there one player who always wins? If so, why do you think that is?



Rooks

Another simple game is called Rooks. In this game, a rook is placed in the bottom right corner of a rectangular board. Players take turns moving the rook either straight up any number of squares, or straight left any number of squares (but not both in one turn). The rook cannot move down or to the right. The player who places the rook in the top left corner of the board wins. Play a few games against those around you on the boards below.



Is there anything you noticed about this game? Are there certain points in the game where you know you will win?

Both Rooks and Chomp are examples of **impartial combinatorial games**. These are games that are usually two-player games. For our purposes, these are games where any move available to one player is also available to another, there is perfect information (everyone knows everything about the game), there is a limited number of possible moves (so the game eventually ends), and nothing in the game is left to chance. Usually, the first player who cannot move loses (or equivalently, the player who makes the last move wins).


It has been shown that all games of this type can be simplified to a version of a special game called **Nim**. We will be exploring the game of Nim and developing a strategy for it.

Sprouts


Sprouts is another 2-player game. In this game, the starting position consists simply of a set of dots. On each turn, a player draws a line between two dots, and adding a new dot somewhere on the line they just drew. There are only three rules for this game:

- The new line may be straight, or curved, but cannot touch or cross itself or any other line
- The new dot cannot be put on top of an existing dot. It must split the line into two shorter lines
- No dot may have more than three lines attached to it. A line from a dot to itself counts as two lines attached to the dot, and new dots have two lines already attached to them.

The first person who cannot make a new line according to the above rules loses. Below is an example of a game that starts with 2 dots.



In the space below, play a game of Sprouts with a friend.



Nim

Nim is a relatively simple game to play. There are a number of piles (or *heaps*) of chips. On each turn, a player removes chips from one of these piles. A player can only remove chips from one pile on each turn, and they must remove at least one chip. The player who takes the last chip(s) wins.

Nim Notation

We will denote each pile of chips in a Nim game as $*x$ where x is the number of chips in a pile. Games with multiple piles will be denoted as $*x_1 + *x_2 + \dots + *x_n$ where each of the $*x_i$ represent a different pile.

For example, a game with one pile of 2 chips, and another pile of 3 chips would be written as $*2 + *3$. We write $*0$ to represent a game or pile with no chips.

We will call player 1 the player whose turn it is to move (i.e. the player who will make the next move)

Winning and Losing Games

In Nim, one player will always win, and one player will always lose. We know this because there are only so many chips on the board, and on each turn some chips are removed. This means that eventually all of the chips will be gone, and clearly only one person can pick up the last chip.

We say that a game is a **winning game** for a player if they can guarantee that they will win the game. This means that if the player makes a specific move on each of their turns, they will always win.

In contrast, a **losing game** is a game or position where a player will lose no matter what. In other words, a player can make any move, and the other player will still be able to win the game.

Exercise 1: What is the relationship between winning and losing games? Is it possible for a game to be a winning game *and* a losing game for one player at the same time?

In the games we are considering there will always be one winner, and one loser. This means that if a game is winning for player 1 (i.e. player 1 can guarantee a win if they play the optimal moves) then it is a losing game for player 2.

Exercise 2: Is $*0$ a winning or losing game for player 1? What about for player 2?

$*0$ is a losing game for player 1 as they cannot remove any chips. This means they cannot make a valid move, and so they lose. In contrast, it is a winning game for player 2

Basic Nim Strategies

Single Pile Nim

The simplest Nim games involve just a single pile of chips. This leads to a very simple strategy to win the game. Clearly, if there are no chips in the pile, then the player whose turn it is (we will call them player 1) loses. If there are chips in the pile, then player 1 can always win. All that they have to do is take all the chips. Then player 2 won't have any chips to take.

2-Heap Nim

The next simplest form of Nim is with two heaps. To examine games with two heaps, we will break our analysis into two cases: when the piles are the same size, and when they are different sizes.

2-Heaps of the same size - In this case both of the piles have the same number of chips. On each turn, a player can only remove chips from one pile. This leads to a simple *copycat* strategy that enables player 2 to always win. All player has to do is watch player 1 and then take the same number of chips as player 1 did, but take them from the other pile. That way, both piles will still have the same amount in them after each of player 2's turns.

2-Heaps of different sizes - In this scenario player 1 can exploit what we already know about Nim with two heaps of the same size. In that case, the player who moves second wins. Knowing this, player 1 can create a situation where there are two piles with the same amount of chips in it *and* where they move second in that instance. To do this they simply remove enough chips from the first pile to make the piles even. Then, the game is exactly like our previous case and the player can employ the copycat strategy.

Strategy in more complex Nim games

These strategies work in simple games. Can we determine who should win in more complex games?

For this Math Circle we will just show a couple of ways that we can see if player 1 should win or lose. This is not an exhaustive list, and just using these tools you may not be able to determine which player should win.

The tool we will use for this is again the *Copycat Principle*. Since a game with 2 piles of the same size is a losing game for player 1, we can actually just cross out any pairs of piles with the same number of chips.

For example, we could simplify the game $*1 + *5 + *1$ to $*5$ by crossing off the pair of ones. This simpler game with 1 pile is easy to know who wins - player 1, since they just need to take all of the chips from that pile. This means player 1 will win the original game, and their best move is to take all the chips from the pile of 5.

This method of simplifying also works in games with more than 3 piles. The game $*1 + *1 + *7 + *9 + *9 + *11$ could be simplified to $*7 + *11$ if we cross out pairs of numbers. This is also a winning game for player 1.

If, when we simplify the game we cross out every pile, then the game is a losing game for player 1. This is because we could split the original game into a number of smaller games

with 2 piles of the same size. Player 2 then just needs to use the copycat principle in each of those smaller pairs.

For example, the game $*1 + *1 + *7 + *7 + *9 + *9$ is a losing game for player 1. **Converting other games to Nim values**

It has been shown that all impartial combinatorial games are equivalent to a Nim game. We will look at converting the Rooks game to its Nim values.

The easiest square to convert to a Nim value is the ending square. If the rook is in the top left corner and it is your turn to move (i.e. your opponent just put it there) then you lost. Losing is equivalent to $*0$.

For each other square, we look at where it could move to. The Nim value is then the smallest number (at least 0) that is not in any of the squares that you could move to. For example, if we pick the square directly below the top left, then the only move is into the top left corner. This square has value $*0$ and so the smallest positive integer that we can't move to is 1. This means the Nim value for this square is $*1$. We can continue doing this for every square until we have the whole grid filled in. This results in the following Nim values for each square:

$*0$	$*1$	$*2$	$*3$
$*1$	$*0$	$*3$	$*2$
$*2$	$*3$	$*0$	$*1$
$*3$	$*2$	$*1$	$*0$

Problem Set

1. We said that an *impartial* game is a game where each player can make the exact same moves. Are chess and checkers impartial games? Why or why not?

Chess and checkers are not impartial games as each player can only move one colour of pieces. This means that the two players do not have access to the exact same moves


2. Think back to the game Chomp from the beginning of this lesson. Who can always guarantee a win if it is played on a 2x2 board? What about a 3x2 board? (Boards are illustrated below).

- (a) Play a few games with a friend on each board to determine who you think should win


Player 1 should always win

- (b) Determine a strategy (or a set of moves) that will guarantee that that player will win.

Player 1 can guarantee a win if they take the top right square in either situation. In the first game (2x2), by taking the top right square, player 1 has left 2 non-poisonous squares remaining. Player 2 must take one of them, but they cannot take both. This allows player 1 to take the last non-poisonous square and winning the game.



3. *Dominoes* is another game played on a rectangular board. In this game, players take turn placing dominoes (which are 1x2 rectangles) onto the board. The dominoes cannot overlap each other, and the first person who cannot play loses. A sample game on a 2x3 board where player 1 loses is shown below.




- (a) On a 3x3 game board (provided below) who should always win?

Player 2 should always win

(b) Why should that player always in? What strategy should they follow?

Player 2 can always win because they can always create a 2x2 square with the played dominoes. This leaves a five space 'L' that is uncovered by dominoes (shown below). Since there are 5 spaces in the L, and a domino can only cover 2 space, there will always be a space for player 2 to play. However, player 1 will never be able to make a third move (because there are only 9 squares on the grid and a third move would put a 5th domino on the grid which would require 10 square. This means that player 2's second move is the last move and so they win



4. Play a few games of Sprouts with a friend. Start with a different number of dots each time. See if you can find a pattern in who should win. Why do we know this game will always end?

To show why this game will always end, we will look at how many possible lines can be drawn after each turn. On each turn, we draw a line between two points (or a line that starts and ends at the same point). This decreases the total number of lines that can be attached to these dots by 2 (one connection at each end point). We then add a new dot somewhere on the new line. But this dot already has 2 connections, so it can only have 1 more added to it. This means the overall number of connections that could be made on each turn decreases by 2 and then increases by 1. So the overall effect is that it decreases by 1. This means that on each turn there are fewer possible connections that can be made, and so eventually the game will end (if we hit 0 new connections that can be made)

5. For each Nim game below:

- (a) Determine whether the game is a winning or losing game for player 1
- (b) If it is a winning game, find the winning move
- (c) Play each game with a friend and see if you can guarantee a win!

I *3 + *5

- (a) This is a winning game for player 1 since we have tw piles with different sizes
- (b) Player 1's winning move is to equalize the number of chips in each pile. This means player 1 should take 2 chips from the pile of 5

II *20 + *20

- (a) This is a losing game for player 1 since the 2 piles have the same number of chips. Player 2 can just copy player 1's moves and this will result in a win for player 2.

III *3 + *3 + *4

- (a) This is a winning game for player 1. We can pair off the two piles of 3, and this simplifies to the game with one pile of 4 chips, which we know is a winning game for player 1.
- (b) Player 1 should take all the chips from the pile of 4. This will leave them in a situation where they can use the copycat principle to win.

IV *1 + *1 + *1 + *1

- (a) This is a losing game for player 1. We can pair off all of the piles in this game. This means the game can be separated into multiple games with two piles of the same number of chips. This means player 2 can simply copy player 1's moves and produce a win.

6. The Queens game is very similar to the Rooks game we played before. However, this time, the piece can also move diagonally up and to the left. Once again, the first player who cannot move loses. This means that if the Queen is in the top left corner of the board, then the player whose turn it is loses.

On the board below, fill in the Nim values for each square. The top left square has been done for you.

*0	*1	*2	*3	*4
*1	*2	*0	*4	*5
*2	*0	*1	*5	*3
*3	*4	*5	*6	*2

Challenge Problems

- Suppose we modified the game Nim by introducing a new rule. In addition to the chips in the piles on the board, there is now a bag containing x additional chips. On their turn, a player can either remove chips from any pile (a normal Nim move) or they can take chips from the bag and add them to any one pile.

- (a) Using the bag, can a player change a losing position in a normal Nim game into a winning game for them?

No, a player cannot turn a losing game into a winning game.

- (b) Why or why not?

If a player is in a losing position, then any regular Nim game will not change it to a winning position. Thus, for a game to change from losing to winning, they would need to use the bag to add chips to one pile. However, if a player does this, then their opponent could just remove the newly added chips. This would leave the exact same situation as the players were in before (except with fewer chips in the bag). This means the player in the losing position would still be in a losing position.

2. In Chomp, if the starting board is strictly larger than a 1×1 rectangle (i.e. it has more than one square) who can always guarantee a win? (Think back to who won in the 2×2 and 3×2 cases from question 2 in the problem set). Prove that this player always has a winning strategy.

Player 1 can always win. The following is a non-constructive proof. This means that we will not explicitly describe a strategy that player 1 can follow. Instead, we will show that such a strategy must exist.

To begin with, we will assume that player 1 is in a losing position. If player 1 were in a winning position then clearly a strategy would exist, because our definition of a winning position is that a strategy exists to guarantee a win. Our next step will be to show why player 1 cannot be in a losing position.

If player 1 is in a losing position, then player 2 would be in a winning position. This means that *no matter what* move player 1 makes, player 2 will have a winning move. Now, suppose that player 1's move is to select the top right corner square of the grid. Then, the only square that will be removed is that top right square. Player 2 now makes a winning move. Again, this winning move exists because player 2 is in a winning position (since player 1 is, by assumption, in a losing position).

Let's examine player 2's move further. Suppose player 1 had made that move instead of selecting the top right square? Then the board would be in the exact same position after that move as it is after player 2's move in our first case. This is because *any* move will remove the top right corner square.

But if player 2 plays this move as a winning move, then, after the move player 1 must still be in a losing position. But then player 1 could have played the same square that player 2 did first instead of their original move. This would put player 2 in a losing situation since it would be in the same situation as player 1 was with the original moves. But this means that player 1 can force player 2 into a losing situation - and this means that player 1 must have been in a winning position all along! This means that no matter what, player 1 will have a winning strategy.